



Shape Tile 2 Sided

Shape Tile Shower

2 & 3 Sided, Neo Angle, Premade and Custom

SHAPE DOOR

- Made in New Zealand.
- 8mm safety glass to New Zealand standards.
- 2 metre high door and returns.
- Semi-frameless door.
- Door can swing in or out.
- Chrome 'D' handle. (250mm)
- Heavy duty brass chrome plated hinges.
- Standard hinge from side panel, option to hinge from small front panel.
- Frames except where specified, are reversible to allow for flexible installation.
- Able to be adapted for use with a Newline ProFinish™ Level Entry Tile Tray.
- Customising sizes of fixed glass panels available.
NB: Door size remains standard.
- Sealant pack included.
- Tapware, tiles, waterproofing, waste, glass shelves and accessories not included.


- Flexible waste position.
- Waste not included.
- No time wasted waiting for sand and cement screed to dry.
- Simplifies the resource consent process.
- No need for expensive structural floor changes.
- Manufactured from light weight rigid polyurethane.
- The Newline ProFinish™ rigid polyurethane shower tray will hold its form and shape for 20 years if protected from moisture by an approved waterproofing membrane which has been applied by an approved waterproofing applicator.
- Acoustically superior to sand and cement.
- All dimensions from lined wall to outer edges of ProFinish™ Tray nominal.
- Tile thickness will affect overall height and depth of shower.
- Custom options available.
- Supplied with glue pack to fix ProFinish™ Tray
NB Warranty void if recommended glue and sealant not used.

NEWLINE PROFINISH™ TILE TRAY

- Made in New Zealand.
- ProFinish™ tray simply glues to the floor.
(NB. Tray must be installed on a clean, flat even surface)
- Guaranteed continuous slope to waste.


SPECIFICATIONS

SHAPE Shower 1040
2 Sided




(Non Standard hinge option)

SHAPE Shower 940
2 Sided




SHAPE Shower 1240DR x 1040 A




(Non Reversible)

SHAPE Shower 1240DR x 1040 B




(Non Reversible)


SHAPE Shower 1200x1040
3 Sided



SHAPE Shower 1140
Neo Angle



SHAPE Shower 1040
Neo Angle



Shower height: 2060mm
(plus tile thickness)
Door radius: 650mm
Sill height: 60mm
Sill width: 100mm

NEW



Shape Tile Neo Angle
with Channel Drain - Right Side Drain

Shape Tile Shower with Channel Drain

2 & 3 Sided, Neo Angle, Premade and Custom

SHAPE DOOR

- Made in New Zealand.
- 8mm safety glass to New Zealand standards.
- 2 metre high door and returns.
- Semi-frameless door.
- Door can swing in or out.
- Chrome 'D' handle. (250mm)
- Heavy duty brass chrome plated hinges.
- Standard hinge from side panel, option to hinge from small panel.
- Frames except where specified, are reversible to allow for flexible installation.
- Able to be adapted to be used with a Newline ProFinish™ Level Entry Tile Tray.
- Customising sizes of fixed glass panels available.
NB: Door size remains standard.
- Sealant pack included.
- Tapware, tiles, waterproofing, glass shelves and accessories not included.


NEWLINE PROFINISH™ TILE TRAY WITH CHANNEL DRAIN

- Made in New Zealand.
- ProFinish™ tray simply glues to the floor.
(NB. Tray must be installed on a clean, flat even surface)
- Guaranteed continuous slope to waste.

- Supplied with Newline Channel Drain Kit.
Please state left or right side drain when ordering 2 sided and neo angle showers.
- Custom position of Channel Drain available.
- Diagrams show left side and back wall drain.
- No time wasted waiting for sand and cement screed to dry.
- Simplifies the resource consent process.
- No need for expensive structural floor changes.
- Manufactured from light weight rigid polyurethane.
- The Newline ProFinish™ rigid polyurethane shower tray will hold its form and shape for 20 years if protected from moisture by an approved waterproofing membrane which has been applied by an approved waterproofing applicator.
- Acoustically superior to sand and cement.
- All dimensions from lined wall to outer edges of ProFinish™ Tray nominal.
- Tile thickness will affect overall height and depth of shower.
- Custom options available.
- Supplied with glue pack to fix ProFinish™ Tray.
NB. Warranty void if recommended glue and sealant not used.


SPECIFICATIONS

SHAPE Shower Channel Drain 1040 2 Sided




*(Left side drain)
(Non Standard hinge option)*

SHAPE Shower Channel Drain 940 2 Sided




(Left side drain)

SHAPE Shower Channel Drain 1240DR x 1040 A




*(Non Reversible)
(Drain Std on 1240 side)*

SHAPE Shower Channel Drain 1240DR x 1040 B




*(Non Reversible)
(Drain Std on 1240 side)*

SHAPE Shower Channel Drain 1200 x 1040 3 Sided




(Drain Std on rear wall)

SHAPE Shower Channel Drain 1140 Neo Angle



(Left side drain)

SHAPE Shower Channel Drain 1040 Neo Angle



(Left side drain)

Shower height: 2060mm
(plus tile thickness)
Door radius: 650mm
Sill height: 60mm
Sill width: 100mm